






Catalogue of peppers 2024






California Pepper



 Possible planting date
 Recommended planting date



California Pepper





 Possible planting date
 Recommended planting date



California Pepper



Italian Pepper and Sweet mini





Arcabuz

Resistance: HR Tm 0-3 (L4) ; IR: Lt/Ma/Mi/Mj
IR: TSWV: P0

Early cycle

Early yield, size and high productivity

- Plant with short internodes, open canopy and strong root structure.
- Bright red fruit, highly tolerant to blossom-end rot and skin cracking.
- Size G-GG and high tolerance to over-ripening.



*Recommended date for El Ejido area.



Ballesta

Resistance: HR Tm 0-3 (L4) ; IR: Lt
IR: TSWV: P0

Early cycle

Rapid growth and uniform fruits in short cycle.

- Ideal for harvesting when green.
- Plant with short internodes and excellent root structure.
- Good setting and high early yield.



*Recommended date for El Ejido area.



Trabuco

Resistance: HR Tm 0-3 (L4) ; IR: Lt/Ma/Mi/Mj (E 140)
IR: TSWV: P0

Early cycle

Early yield, size and high productivity

- Short internode plant, open plant and strong root system.
- Bright red fruit, with high tolerance to "peseta" and cracking, very productive in winter.
- Size G-GG and high tolerance to over-ripening.
- Ease of setting with bleaching.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Mosquete

Resistance HR Tm 0-3 (L4) ; IR: Lt/Ma/Mi/Mj

IR: TSWV: P0

Early cycle Early for long cycle

- Open plant, with short-medium internodes and excellent root structure.
- Excellent fruit quality with staggered production throughout the cycle.
- Size G-GG and high tolerance to over-ripening.



*Recommended date for El Ejido area.





Falcata

Resistance: HR Tm 0-3 (L4); IR = Lt
Good resistance to TSWV:0

Mid-early cycle

Rapid start of production, with very uniformly sized fruits throughout the growing cycle.

- Plant with short internodes, open canopy and strong root structure.
- Excellent fruit quality with staggered production throughout the cycle.
- Size G-GG and high tolerance to over-ripening.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
				■	■	■	■	■						

■ Possible planting date ■ Recommended planting

*Recommended date for El Ejido area.



Gladio

Resistance: HR Tm 0-3 (L4) ; IR: Lt/Ma/Mi/Mj
IR: TSWV: P0

Medium cycle

High tolerance to blossom-end rot.

- Open plant with medium internodes and strong root structure.
- Excellent fruit quality, outstanding in the winter months.
- Size G-GG at start of crop and G in the final stage.
- Highly tolerant to blossom-end rot.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
					■	■	■	■	■					

■ Possible planting date ■ Recommended planting

*Recommended date for El Ejido area.



Revólver

Resistance: HR Tm 0-3 (L4); IR = Lt
Good resistance to TSWV:0

Optimum yield in winter.

- Open plant with medium internodes and strong root structure.
- Excellent fruit quality and firmness.
- Size G-GG. No over-ripening when setting with heat.
- High tolerance to blossom-end rot.



*Recommended date for El Ejido area.





Arpón

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Mid-late cycle

Uniform size and high yield

- Plant with medium internodes, open canopy and strong root structure.
- Bright red fruit, highly tolerant to blossom-end rot and skin cracking.
- Size G-GG and high tolerance to over-ripening.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Alabarda

Resistance: HR Tm 0-3 (L4); IR = Lt
Good resistance to TSWV:0

Late Cycle

Optimum yield from January to April.

- Very sturdy, open plant.
- Very uniform size G fruits.
- Bright red fruit, highly consistent on the plant, with no micro-cracking.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Ariete

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Late Cycle

Optimum yield from January to April.

- Very sturdy, open plant.
- Very uniform size G-GG fruits.
- Bright red fruit, highly consistent on the plant, with no micro-cracking.



*Recommended date for El Ejido area.





Carraca

Resistance: HR Tm 0-3 (L4); IR = Lt
Good resistance to TSWV:0

Size and quality for early cycle.

- Plant with short internodes, open canopy and excellent root structure.
- Large size GG-G fruits and lemon-yellow colour for early cycle.
- Excellent resistance to blossom-end rot and skin cracking.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
■	■	■	■	■	■	■	■							
Possible planting date					Recommended planting									

*Recommended date for El Ejido area.





Elcano

(Ex Bergantín)

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Homogeneity and quality in early

- Plant with short internodes, open structure, and excellent root system.
- Large size fruits, ranging from extra-large to giant, with lemon color.
- Excellent performance against Blossom End Rot disease and Silvering.



*Recommended date for El Ejido area.




Cometa

(Ex Corbeta)

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Quality and yield for mid-early cycles

- Lemon-yellow colour.
- Excellent resistance to blossom-end rot and skin cracking.
- Plant with medium internodes for mid-early cycles.
- Very uniform size G fruits.



*Recommended date for El Ejido area.



Naos

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Yield, quality and size G in winter.

- Sturdy, open plant.
- Uniform, very firm size G fruits.
- Lemon-yellow colour and no micro-cracking.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Urca

Resistance: HR Tm 0-3 (L4); IR = Lt
IR: TSWV: P0

Size and quality for late cycle.

- Plant with high internodes, open canopy and excellent root structure.
- Large size GG-G fruits and lemon-yellow colour for late cycle.
- Excellent resistance to blossom-end rot and skin cracking.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





C 1006

(Ex Dólar)

Resistance: HR Tm 0-3 (L4)
Good resistance to TSWV:0

- Variety with medium internodes and excellent setting.
- Size GG-G.
- Consistent fruits which ripen quickly.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Denario

Resistance: HR Tm 0-3 (L4)

IR: TSWV: P0

- High winter yield.
- Size GG-G.
- Highly consistent fruits which ripen quickly.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

Possible planting date Recommended planting

*Recommended date for El Ejido area.



Lira (Ex Libra)

Resistance: HR Tm 0-3 (L4)

Good resistance to TSWV:0

- Plant with medium-long internodes, open and powerful root system.
- Intensely orange G-GG size caliber.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

Possible planting date Recommended planting

*Recommended date for El Ejido area.





Fiera (1062)

Resistance: HR Tm 0-3 (L4); IR= Lt
Good performance against TSWV:0

- Medium internode variety with high setting capacity.
- Calibre G-GG.
- Consistent, fast maturing fruit with winter productivity.
- Ease of setting with bleaching.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date  Recommended planting

*Recommended date for El Ejido area.





Tigre (1053)

Resistance: HR Tm 0-3 (L4); IR= Lt
 Good performance against TSWV:0

- Medium internode variety with high setting capacity.
- High winter production.
- Calibre G-GG.
- High consistency and fast maturation.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

 Possible planting date
  Recommended planting

*Recommended date for El Ejido area.





Pantera

(1009)

Resistance: HR Tm 0-3 (L4); IR= Lt
Good performance against TSWV:0

- High production and quality in winter
- Calibre G-GG
- High consistency and fast maturation

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

Legend: ■ Possible planting date ■ Recommended planting

*Recommended date for El Ejido area.





Torino

Resistance: HR Tm 0-3 (L4);
Good resistance to TSWV:0

Very sweet red Italian

- Medium to high vigor plant with dark green color adapted for harvesting both green and red fruits.
- Fruits with bright red color, high consistency, and excellent taste.
- Continuous fruit setting throughout the growing cycle with fruits having a rounded tip.
- Good performance against Blossom End Rot disease



*Recommended date for El Ejido area.





CW 47

Resistance: HR Tm 0-3 (L4)
Good resistance to TSWV:0

Mini red conical

- Medium to high vigor plant with small leaves and high regrowth capacity.
- Fruits with excellent flavor and high post-harvest quality.



*Recommended date for El Ejido area.





CW 196

Resistance: HR Tm 0-3 (L4)
Good resistance to TSWV:0

Mini yellow conical

- Medium to high vigor plant with small leaves and high regrowth capacity.
- Fruits with excellent flavor and lemon yellow color.

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

Possible planting date Recommended planting

*Recommended date for El Ejido area.



CW 230

Resistance: HR Tm 0-3 (L4)
Good resistance to TSWV:0

Mini orange conical pepper

- Plant with medium-high vigor, small leaves, and high resprouting capacity.
- Fruits with intense orange color and uniform shape, with high post-harvest life

Planting														
June					July					August				
5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

Possible planting date Recommended planting

*Recommended date for El Ejido area.





Legend:

Tm: Tobamovirus (ToMV, TMV, TMGMV, PMMoV, PaMMV), P0, P1, P1.2, P1.2.3

Lt: Leveillula Taurica, powdery mildew.

Ma: Meloidogyne Arenaria

My: Meloidogyne Incognita

Mj: Meloidogyne Javanica

TSWV:0: Tomato spotted wilt virus

HR: High resistance

IR: Intermediate resistance

Commercial technicians:

Jorge Viseras, +34 626 52 01 21

Germán Ureña, +34 682 83 98 81

José Antonio Ruiz, +34 682 82 91 53

Manuel Estrada, +34 683 22 25 40

The best technical advice



www.surseeds.com

Sur Seeds S.L. -Pol. Ind. La Redonda
St. Colonia, 17, 04710 El Ejido (Almería, Spain)

Important announcement:

The information provided on these pages has been carefully prepared by the staff of Sur Seeds S.L. Sur Seeds S.L. does not assume any responsibility for any error or omission that may have been committed. The calendars, both for planting and harvesting, are assumed for the El Ejido area. For any other area, Please consult with our professionals. Sur Seeds S.L. declares that all varieties have been obtained and developed without using modification techniques genetics (GMOs, Genetically Modified Organisms). All industrial property rights are reserved. Their reproduction and/or exploitation is prohibited without express authorization.